

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

| APPLICATION NO.   | FILING DATE     | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO.     | CONFIRMATION NO. |
|---|-----------------|----------------------|-------------------------|------------------|
| 09/723,615  | 11/27/2000      | Jack Cheng           | GRQ-00100 8414          |                  |
| 28960   | 7590 03/06/2002 |                      |                         |                  |
| HAVERSTOCK & OWENS LLP<br>162 NORTH WOLFE ROAD<br>SUNNYVALE, CA 94086 |                 |                      | EXAMINER                |                  |
|   |                 |                      | NGUYEN, XUAN LAN T      |                  |
|   |                 |                      | ART UNIT                | PAPER NUMBER     |
|   |                 |                      | 3613                    |                  |
|   | ,               |                      | DATE MAILED: 03/06/2002 |                  |

Please find below and/or attached an Office communication concerning this application or proceeding.

|  |   | Application | No. | Applicant(s)                                     |  |  |  |
|--|---|-------------|-----|--|--|--|--|
| Office Action Summary  |   | 09/723,615  |     | CHENG ET AL.                                     |  |  |  |
|  |   | Examiner    |     | Art Unit   |  |  |  |
|  |   | Lan Nguyen  |     | 3613   |  |  |  |
| The MAILING DATE of this communication appears,on the cover sheet with the correspondence address  |   |             |     |  |  |  |  |
| Period for Reply   |   |             |     |  |  |  |  |
| A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). |   |             |     |  |  |  |  |
| 1)   | Status 1) Responsive to communication(s) filed on   |             |     |  |  |  |  |
| 2a)□   | This action is <b>FINAL</b> . 2b)  This action is non-final.  |             |     |  |  |  |  |
| 3)   | Since this application is in condition for allowance except for formal matters, prosecution as to the merits is                                 |             |     |  |  |  |  |
| closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.  |   |             |     |  |  |  |  |
| Disposition of Claims  |   |             |     |  |  |  |  |
| 4) Claim(s) 1-140 is/are pending in the application.   |   |             |     |  |  |  |  |
|  | 4a) Of the above claim(s) is/are withdrawn from consideration.  |             |     |  |  |  |  |
|  | 5) Claim(s) is/are allowed.   |             |     |  |  |  |  |
|  | 6) Claim(s) is/are rejected.  |             |     |  |  |  |  |
|  | 7) Claim(s) is/are objected to.   |             |     |  |  |  |  |
| 8) Claim(s) <u>1-140</u> are subject to restriction and/or election requirement.  Application Papers   |   |             |     |  |  |  |  |
| 9) The specification is objected to by the Examiner.   |   |             |     |  |  |  |  |
| 10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.   |   |             |     |  |  |  |  |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  |   |             |     |  |  |  |  |
| 11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved by the Examiner.  |   |             |     |  |  |  |  |
| If approved, corrected drawings are required in reply to this Office action.   |   |             |     |  |  |  |  |
| 12) ☐ The oath or declaration is objected to by the Examiner.  |   |             |     |  |  |  |  |
| Priority under 35 U.S.C. §§ 119 and 120  |   |             |     |  |  |  |  |
| 13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  |   |             |     |  |  |  |  |
| a) All b) Some * c) None of:   |   |             |     |  |  |  |  |
|  | 1. Certified copies of the priority documents have been received.   |             |     |  |  |  |  |
|  | 2. Certified copies of the priority documents have been received in Application No  |             |     |  |  |  |  |
| <ul> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>  |   |             |     |  |  |  |  |
| 14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).   |   |             |     |  |  |  |  |
| <ul> <li>a)                The translation of the foreign language provisional application has been received.</li> </ul> <li>15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.</li>   |   |             |     |  |  |  |  |
| Attachment(s)  |   |             |     |  |  |  |  |
| 2) Notice  | e of References Cited (PTO-892)<br>e of Draftsperson's Patent Drawing Review (PTO-948)<br>nation Disclosure Statement(s) (PTO-1449) Paper No(s) | 5)          |     | PTO-413) Paper No(s) stent Application (PTO-152) |  |  |  |

U.S. Patent and Trademark Office PTO-326 (Rev. 04-01)

Page 2

Application/Control Number: 09/723,615

Art Unit: 3613

#### **DETAILED ACTION**

#### Election/Restrictions

- 1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
  - Claims 54-131, drawn to a sonic bearing, classified in class 384, subclass
     01.
  - II. Claims 1-53 and 132-140, drawn to a method of controlling, classified in class 384, subclass 01.

The inventions are distinct, each from the other because of the following reasons:

Inventions I and II are related as product and process of use. The inventions can be shown to be distinct if either or both of the following can be shown: (1) the process for using the product as claimed can be practiced with another materially different product or (2) the product as claimed can be used in a materially different process of using that product (MPEP § 806.05(h)). In the instant case the method claims are broad enough to read on the use of other piezoelectric bearings, not just the instant sonic bearing.

2. Upon choosing one of the inventions above, Applicant is further required to elect a sub-sub-species under one invention for the examination on the merits. The species, sub-species and sub-sub-species of each invention are listed below.

Under invention I, the sonic bearing:

Species IA direct bearing figure 3A

Sub-species IA1 figure 4A

Art Unit: 3613

Sub-sub-species IA1a

figure 4C

Sub-sub-species IA1b

figure 4D

Sub-sub-species IA1c

figure 6A

Sub-sub-species IA1d

figure 6B

Sub-sub-species IA1e

figure 16

Sub-sub-species IA1f

figures 17-19

Sub-sub-species IA1g

figure 27

Sub-species IA2

figure 4B

Sub-sub-species 1A2(a-g)

no corresponding illustration;

these sub-sub-species would have the structures of the above illustrated subsub-species of sub-species 1A1 except, the piezoelectric element would be a magnetostrictive element.

# Species IB in-direct bearing figure 3B

Sub-species IB1

figure 5A

Sub-sub-species IB1a

figure 5C

Sub-sub-species IB1b

figure 5D

Sub-sub-species IB1c

figure 5E

Sub-species IB2

figure 5B

Sub-sub-species 1B2(a-c)

no corresponding illustration; these sub-

sub-species would have the structures of the above illustrated sub-sub-species of sub-species 1B1 except, the piezoelectric element would be a magnetostrictive element.

Page 3

Art Unit: 3613

### Under invention II, method of controlling:

Species IIA

figure 7A

Species IIB

figure 7b

Species IIC

figures 8A-8C

Species IID

figures 8D-8F

Species IIE

figure 9A

Species IIF

figure 9B

Species IIG

figure 10

Species IIH

figure 15A

Species III

figure 15B

Species IIJ

figure 15C

Please note that the followings are the sub-species for each of the above species under invention II, these sub-species do not have corresponding illustrations.

However, they are distinctively disclosed and distinctively claimed.

Sub-species II(A-J)1, method of minimizing bonding by using liquid

Sub-species II(A-J)2,

method of minimizing bonding by using a

coating of a thin film.

as lubrication.

Sub-species II(A-J)3,

method of minimizing bonding by using a

selective melting temperature.

Art Unit: 3613

Sub-species II(A-J)4, method of minimizing bonding by using a selective resonant frequency.

Sub-species II(A-J)5, method of minimizing bonding by using a selective root-mean-square velocity.

- 3. Currently, claims 1 and 2 are generic. It is noted that claims 54 and 125 are directed to an untrastiff sonic bearing. However, the disclosure discussed and illustrated both the stiff and ultrastiff bearings. Hence, claims 54 and 125 have been deemed non-generic.
- 4. Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over

Art Unit: 3613

the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

- 5. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lan Nguyen whose telephone number is 703-308-8347. The examiner can normally be reached on M-F, 9 to 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Dickson can be reached on.703-308-2089. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-7687 for regular communications and 703-305-7687 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1113.

XLN

XLN March 4, 2002 SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600

3/4/02

Page 6